



# PRODUCT GUIDE

For the first time, skin care companies have access to medical-quality silicone to create breakthrough moisturization, anti-aging, sun care, skin repair serums and anti-wrinkle formulations.

The CareSil™ portfolio includes novel encapsulation technology, silicone gels, phenyl silicones, low volatility silicones, custom silicone formulations and the delivery of actives for use in next-generation skin care products. Available in a variety of concentrations in various diluents, viscosities and refractive indices, the CareSil™ silicone product line is innovative and diverse to match your specific needs and requirements.

---

Visit [www.nusil.com/caresil](http://www.nusil.com/caresil) to learn more about our product offering and future innovations.

# KEY PRODUCTS

## Encapsulation Technology

CareSil™ Encapsulation Technology allows silicone and water to coexist without the use of irritating surfactants. The separation of these two mediums, enabled by encapsulation, allows for transformative textures when applied to the skin.

## Unprecedented Levels of Purity

CareSil™ incorporates controls to remove impurities at every step of the manufacturing process. We carefully select our raw materials and our proprietary purification technology produces the most refined intermediates and the purest silicones with the lowest volatility levels in the industry.

## Product Details

For more detailed information on the products in this guide please visit:

[www.nusil.com/caresilproducts](http://www.nusil.com/caresilproducts)

	Encapsulation Technology	Suspension Technology	Elastomer Gels			Gum Blend	Specialty Fluids		Volatiles
CareSil™ Nomenclature	<b>CARESIL™ - CES CES - 1104</b>	<b>CARESIL™ - CSG CSG - 1001</b>	<b>CARESIL™ - XG CXG - 1101</b>	<b>CARESIL™ - XG CXG - 1103</b>	<b>CARESIL™ - XG CXG - 1104</b>	<b>CARESIL™ - F CSF - 3504</b>	<b>CARESIL™ - PF CPF - 3300</b>	<b>CARESIL™ - FF CFF - 3401</b>	<b>CARESIL™ - V CSV - 3002</b>
Product Description	Encapsulated Silicone with 12% CXG-1104	Suspended Silicone with 30% CXG-1104 and 7% CSF-3504	12% Solids Elastomer Gel Dispersed in D5	8% Solids Elastomer Gel Dispersed in D5 and D6	12% Solids Elastomer Gel Dispersed in Low Viscosity Dimethicone Fluid	50% High Purity Dimethiconol Dispersed in Low Viscosity Dimethicone Fluid	High Refractive Index Silicone Fluid	60 Mol% Fluorosilicone	Pure Volatile Silicone Gas Chromatography: (D4): <0.05% (D5): <0.05% (D6): >99.5%
INCI Nomenclature	Dimethicone (and) Aqua (and) Glycerin (and) Pentylene Glycol (and) Dimethicone/Vinyl Dimethicone Crosspolymer (and) Phenoxyethanol (and) Carbomer (and) Amodimethicone (and) Sodium Hydroxide (and) Disodium EDTA	Aqua (and) Dimethicone (and) Dimethicone/Vinyl Dimethicone Crosspolymer (and) Dimethiconol (and) Butylene Glycol (and) Carbomer (and) Phenoxyethanol (and) Sodium Hydroxide	Cyclopentasiloxane (and) Dimethicone/Vinyl Dimethicone Crosspolymer	Cyclopentasiloxane (and) Cyclohexasiloxane (and) Dimethicone/Vinyl Dimethicone Crosspolymer	Dimethicone (and) Dimethicone/Vinyl Dimethicone Crosspolymer	Dimethicone (and) Dimethiconol	Phenyl Trimethicone	Trifluoropropyl Dimethicone	Cyclohexasiloxane
D4 Content	<0.05%	<0.05%	<0.05%	<0.05%	<0.05%	<0.05%	-	<0.05%	<0.05%
Viscosity	60,000 cP	165,000 cP	550,000 cP	60,000 cP	635,000 cP	1,140,000 cP	10 cSt	Available in: 350, 1,000 and 12,500 cP	7 cSt
Appearance	Translucent to Opaque, Colorless to Yellow Tint, Gel	Translucent to Opaque, Colorless to White, Gel	Clear, Colorless to Light Yellow, Gel	Clear, Colorless, Gel	Clear, Colorless to Light Yellow, Gel	Clear to Translucent, Colorless to Light Yellow, Paste	Clear, Colorless, Liquid	Clear, Colorless, Liquid	Clear, Colorless, Liquid
Refractive Index	1.40	1.40	1.40	1.40	1.40	1.40	1.46	1.38	1.40
Specific Gravity	1.03	0.98	0.96	0.95	0.92	0.94	0.98	1.21	0.97

This document is a general guideline for product selection. Typical properties shown in this document should not be used as a basis for preparing specifications. Please contact NuSil Technology LLC for assistance and recommendations in establishing particular specifications. NuSil Technology LLC makes no claim or warrant that this product is intended to affect the structure or any function of the human body.



### **Headquarters**

Avantor Performance Materials, LLC  
3477 Corporate Parkway  
Center Valley, PA 18034 USA  
Toll Free: +1-855-AVANTOR (1-855-282-6867)  
Outside of US Tel: +1-610-573-2600  
[www.avantorinc.com](http://www.avantorinc.com)

### **North & South America**

1050 Cindy Lane  
Carpinteria, CA 93013 USA  
+1 805/684-8780  
[silicone@nusil.com](mailto:silicone@nusil.com)  
[www.nusil.com](http://www.nusil.com)

### **Europe**

Parc d'Activités de Sophia Antipolis  
Le Natura Bt2  
1198, avenue Maurice Donat  
06250 MOUGINS France  
+33 (0) 4 92 96 93 31  
[nusil.sophia@nusil.com](mailto:nusil.sophia@nusil.com)  
[www.nusil.com](http://www.nusil.com)

### **Asia**

10 Anson Road  
#32-15 International Plaza  
Singapore 079903  
+65 64306694  
[nusilasia@nusil.com](mailto:nusilasia@nusil.com)  
[www.nusil.com](http://www.nusil.com)